

## Refine Search

### Search Results -

Terms	Documents
L20 and (address\$ near5 application\$1)	21

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L22

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Friday, December 26, 2003   [Printable Copy](#)   [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L22</u>	L20 and (address\$ near5 application\$1)	21	<u>L22</u>
<u>L21</u>	L20 and (address\$ near3 application\$1)	0	<u>L21</u>
<u>L20</u>	L18 and address\$	60	<u>L20</u>
<u>L19</u>	L18 and (program near area\$1)	3	<u>L19</u>
<u>L18</u>	L17 and (manag\$ near area\$1)	60	<u>L18</u>
<u>L17</u>	(L12 or L13 or L14 or L15 or 16) and L11	108	<u>L17</u>
<u>L16</u>	711/165.ccls.	436	<u>L16</u>
<u>L15</u>	711/111-117.ccls.	3574	<u>L15</u>
<u>L14</u>	709/215-216.ccls.	461	<u>L14</u>
<u>L13</u>	709/212-213.ccls.	898	<u>L13</u>
<u>L12</u>	707/\$.ccls.	18198	<u>L12</u>
<u>L11</u>	L8 and (director\$3 near structur\$3)	109	<u>L11</u>
<u>L10</u>	L8 and (director\$ near structur\$)	109	<u>L10</u>

<u>L9</u>	L8 and L1	0	<u>L9</u>
<u>L8</u>	L2 and L7	236	<u>L8</u>
<u>L7</u>	allocat\$ and EEPROM and (information near2 area\$1) and application\$1	620	<u>L7</u>
<u>L6</u>	L1 and (identificat\$4 near2 information)	3	<u>L6</u>
<u>L5</u>	L3 and (identificat\$4 near2 information)	0	<u>L5</u>
<u>L4</u>	L3 and (identificat\$4 near information)	0	<u>L4</u>
<u>L3</u>	L2 and L1	6	<u>L3</u>
<u>L2</u>	file\$1 same allocat\$4	16134	<u>L2</u>
<u>L1</u>	(directory or directories) same (plural\$3 near application\$1)	67	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L18 and (program near area\$1)	3

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L19

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Friday, December 26, 2003    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L19</u>	L18 and (program near area\$1)	3	<u>L19</u>
<u>L18</u>	L17 and (manag\$ near area\$1)	60	<u>L18</u>
<u>L17</u>	(L12 or L13 or L14 or L15 or 16) and L11	108	<u>L17</u>
<u>L16</u>	711/165.ccls.	436	<u>L16</u>
<u>L15</u>	711/111-117.ccls.	3574	<u>L15</u>
<u>L14</u>	709/215-216.ccls.	461	<u>L14</u>
<u>L13</u>	709/212-213.ccls.	898	<u>L13</u>
<u>L12</u>	707\$.ccls.	18198	<u>L12</u>
<u>L11</u>	L8 and (director\$3 near structur\$3)	109	<u>L11</u>
<u>L10</u>	L8 and (director\$ near structur\$)	109	<u>L10</u>
<u>L9</u>	L8 and L1	0	<u>L9</u>
<u>L8</u>	L2 and L7	236	<u>L8</u>
allocat\$ and EEPROM and (information near2 area\$1) and			

<u>L7</u>	application\$1	620	<u>L7</u>
<u>L6</u>	L1 and (identificat\$4 near2 information)	3	<u>L6</u>
<u>L5</u>	L3 and (identificat\$4 near2 information)	0	<u>L5</u>
<u>L4</u>	L3 and (identificat\$4 near information)	0	<u>L4</u>
<u>L3</u>	L2 and L1	6	<u>L3</u>
<u>L2</u>	file\$1 same allocat\$4	16134	<u>L2</u>
<u>L1</u>	(directory or directories) same (plural\$3 near application\$1)	67	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L27 and director\$3	9

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L33

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Friday, December 26, 2003    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L33</u>	L27 and director\$3	9	<u>L33</u>
<u>L32</u>	L27 and (director\$3 adj2 structur\$)	0	<u>L32</u>
<u>L31</u>	L27 and (director\$3 adj structur\$)	0	<u>L31</u>
<u>L30</u>	L27 and (plural\$ near10 (application\$1 near stor\$3))	0	<u>L30</u>
<u>L29</u>	L27 and (plural\$ near5 (application\$1 near stor\$3))	0	<u>L29</u>
<u>L28</u>	L27 and (plural\$ near3 (application\$1 near stor\$3))	0	<u>L28</u>
<u>L27</u>	L26 and (program\$ near area\$1)	26	<u>L27</u>
<u>L26</u>	L25 and application\$1	61	<u>L26</u>
<u>L25</u>	L24 and (data near area\$1)	73	<u>L25</u>
<u>L24</u>	allocat\$ same EEPROM	574	<u>L24</u>
<u>L23</u>	L20 and (address\$ near5 application\$1) and identificat\$	21	<u>L23</u>
<u>L22</u>	L20 and (address\$ near5 application\$1)	21	<u>L22</u>
<u>L21</u>	L20 and (address\$ near3 application\$1)	0	<u>L21</u>

<u>L20</u>	L18 and address\$	60	<u>L20</u>
<u>L19</u>	L18 and (program near area\$1)	3	<u>L19</u>
<u>L18</u>	L17 and (manag\$ near area\$1)	60	<u>L18</u>
<u>L17</u>	(L12 or L13 or L14 or L15 or 16) and L11	108	<u>L17</u>
<u>L16</u>	711/165.ccls.	436	<u>L16</u>
<u>L15</u>	711/111-117.ccls.	3574	<u>L15</u>
<u>L14</u>	709/215-216.ccls.	461	<u>L14</u>
<u>L13</u>	709/212-213.ccls.	898	<u>L13</u>
<u>L12</u>	707/\$.ccls.	18198	<u>L12</u>
<u>L11</u>	L8 and (director\$3 near structur\$3)	109	<u>L11</u>
<u>L10</u>	L8 and (director\$ near structur\$)	109	<u>L10</u>
<u>L9</u>	L8 and L1	0	<u>L9</u>
<u>L8</u>	L2 and L7	236	<u>L8</u>
<u>L7</u>	allocat\$ and EEPROM and (information near2 area\$1) and application\$1	620	<u>L7</u>
<u>L6</u>	L1 and (identificat\$4 near2 information)	3	<u>L6</u>
<u>L5</u>	L3 and (identificat\$4 near2 information)	0	<u>L5</u>
<u>L4</u>	L3 and (identificat\$4 near information)	0	<u>L4</u>
<u>L3</u>	L2 and L1	6	<u>L3</u>
<u>L2</u>	file\$1 same allocat\$4	16134	<u>L2</u>
<u>L1</u>	(directory or directories) same (plural\$3 near application\$1)	67	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L34 and L11	1

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L35

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Friday, December 26, 2003   [Printable Copy](#)   [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L35</u>	L34 and L11	1	<u>L35</u>
<u>L34</u>	711/163.ccls.	811	<u>L34</u>
<u>L33</u>	L27 and director\$3	9	<u>L33</u>
<u>L32</u>	L27 and (director\$3 adj2 structur\$)	0	<u>L32</u>
<u>L31</u>	L27 and (director\$3 adj structur\$)	0	<u>L31</u>
<u>L30</u>	L27 and (plural\$ near10 (application\$1 near stor\$3))	0	<u>L30</u>
<u>L29</u>	L27 and (plural\$ near5 (application\$1 near stor\$3))	0	<u>L29</u>
<u>L28</u>	L27 and (plural\$ near3 (application\$1 near stor\$3))	0	<u>L28</u>
<u>L27</u>	L26 and (program\$ near area\$1)	26	<u>L27</u>
<u>L26</u>	L25 and application\$1	61	<u>L26</u>
<u>L25</u>	L24 and (data near area\$1)	73	<u>L25</u>
<u>L24</u>	allocat\$ same EEPROM	574	<u>L24</u>
<u>L23</u>	L20 and (address\$ near5 application\$1) and identificat\$	21	<u>L23</u>

<a href="#"><u>L22</u></a>	L20 and (address\$ near5 application\$1)	21	<a href="#"><u>L22</u></a>
<a href="#"><u>L21</u></a>	L20 and (address\$ near3 application\$1)	0	<a href="#"><u>L21</u></a>
<a href="#"><u>L20</u></a>	L18 and address\$	60	<a href="#"><u>L20</u></a>
<a href="#"><u>L19</u></a>	L18 and (program near area\$1)	3	<a href="#"><u>L19</u></a>
<a href="#"><u>L18</u></a>	L17 and (manag\$ near area\$1)	60	<a href="#"><u>L18</u></a>
<a href="#"><u>L17</u></a>	(L12 or L13 or L14 or L15 or 16) and L11	108	<a href="#"><u>L17</u></a>
<a href="#"><u>L16</u></a>	711/165.ccls.	436	<a href="#"><u>L16</u></a>
<a href="#"><u>L15</u></a>	711/111-117.ccls.	3574	<a href="#"><u>L15</u></a>
<a href="#"><u>L14</u></a>	709/215-216.ccls.	461	<a href="#"><u>L14</u></a>
<a href="#"><u>L13</u></a>	709/212-213.ccls.	898	<a href="#"><u>L13</u></a>
<a href="#"><u>L12</u></a>	707/\$.ccls.	18198	<a href="#"><u>L12</u></a>
<a href="#"><u>L11</u></a>	L8 and (director\$3 near structur\$3)	109	<a href="#"><u>L11</u></a>
<a href="#"><u>L10</u></a>	L8 and (director\$ near structur\$)	109	<a href="#"><u>L10</u></a>
<a href="#"><u>L9</u></a>	L8 and L1	0	<a href="#"><u>L9</u></a>
<a href="#"><u>L8</u></a>	L2 and L7	236	<a href="#"><u>L8</u></a>
<a href="#"><u>L7</u></a>	allocat\$ and EEPROM and (information near2 area\$1) and application\$1	620	<a href="#"><u>L7</u></a>
<a href="#"><u>L6</u></a>	L1 and (identificat\$4 near2 information)	3	<a href="#"><u>L6</u></a>
<a href="#"><u>L5</u></a>	L3 and (identificat\$4 near2 information)	0	<a href="#"><u>L5</u></a>
<a href="#"><u>L4</u></a>	L3 and (identificat\$4 near information)	0	<a href="#"><u>L4</u></a>
<a href="#"><u>L3</u></a>	L2 and L1	6	<a href="#"><u>L3</u></a>
<a href="#"><u>L2</u></a>	file\$1 same allocat\$4	16134	<a href="#"><u>L2</u></a>
<a href="#"><u>L1</u></a>	(directory or directories) same (plural\$3 near application\$1)	67	<a href="#"><u>L1</u></a>

END OF SEARCH HISTORY